



WHOLESALE INTERIOR SURFACE MATERIALS · HYDERABAD

ACRYLIC LAMINATE

FLOW TOUCH ACRYLIC LAMINATE

Supplied by Om Sales Corporation — wholesale supplier of Acrylic Laminates

Om Sales Corporation is a wholesale supplier of interior-design materials in Hyderabad, established in 2015. We supply interior designers, architects, contractors, modular manufacturers and homeowners across Hyderabad and Secunderabad with premium interior surfaces and panels at genuine trade rates. Our catalogue spans 30+ categories: Corian-type acrylic solid surfaces, translucent Alabaster, mosaic and cork tiles, charcoal and decorative panels, acrylic and PVC laminates, PVC and MDF boards, WPC/PVC doors, plywood, blockboard and veneers. Specialty lines like translucent Alabaster and fluted acrylic panels are rare to source locally. One trusted source for your entire material list. Samples on request. WhatsApp +91 98666 07766.

Om Sales Corporation

31-7, Lalamiya Basti, RTC Colony, Tirumalgiri, Secunderabad, Hyderabad, TS 500015
+91 98666 07766 · care.oscorp@gmail.com · omsalescorp.com
GSTIN 36AEHPG7476H1Z7

MARKETED BY



FLOWTouch™
THINK IN COLOR



FLOWTouch™
THINK IN COLOR

EXCLUSIVE
ACRYLIC
COLLECTION



FLOWTouch™
THINK IN COLOR

*An architectural touch that adds depth,
texture, and beauty.*

EXCLUSIVE
ACRYLIC
COLLECTION



IMAGINE AND *Implement*



KITCHEN



FURNITURE



BATHROOM



COMMERCIAL



HEALTHCARE



RESTAURANTS

About us



We are dedicated to redefining the way you think about laminate surfaces. With a passion for quality, innovation, and design, we have become a leading name in the laminate industry. Our journey began when a group of visionary individuals came together with a shared goal: to provide exceptional laminate solutions that enhance spaces and lifestyles.




SOLID
Touch

6H GRADE | 1.5MM Antiscratch




Designing Timeless
Interiors




FT - 662



FT - 616



FT - 613



FT - 665

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations.
Actual colours of the laminates sheet may vary from this brochure.




SOLID
Touch


6H GRADE | 1.5MM Antiscratch

FLOW*Touch*TM
THINK IN COLOR


Sheet Size : 1220mm x 2440mm (4ft x 8 ft)




FT - 671



FT - 664



FT - 666



FT - 653

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations.
Actual colours of the laminates sheet may vary from this brochure.



Where Style Meets
Comfort




SOLID
Touch




Crafted for Better
Living

6H GRADE | 1.5MM Antiscratch


FLOW Touch™
THINK IN COLOR




FT - 654



FT - 644



FT - 650



FT - 636

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations.
Actual colours of the laminates sheet may vary from this brochure.




SOLID
Touch


6H GRADE | 1.5MM Antiscratch

FLOW*Touch*TM
THINK IN COLOR


Sheet Size : 1220mm x 2440mm (4ft x 8 ft)




FT - 675



FT - 648



FT - 676



FT - 678



Spaces Made to
Inspire

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations.
Actual colours of the laminates sheet may vary from this brochure.




SOLID
Touch

6H GRADE | 1.5MM Antiscratch



Turning Spaces into
Spaces




FT - 628



FT - 686



FT - 632



FT - 682

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations.
Actual colours of the laminates sheet may vary from this brochure.




SOLID
Touch


6H GRADE | 1.5MM Antiscratch

FLOW Touch™
THINK IN COLOR


Sheet Size : 1220mm x 2440mm (4ft x 8 ft)




FT - 617



FT - 612



FT - 615



FT - 638



Comfort You Can
Feel

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations.
Actual colours of the laminates sheet may vary from this brochure.




SOLID
Touch

6H GRADE | 1.5MM Antiscratch


FLOW Touch™
THINK IN COLOR



Designed for Everyday
Living




FT - 640



FT - 637



FT - 618



FT - 681

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations.
Actual colours of the laminates sheet may vary from this brochure.



SOLID
Touch

6H GRADE | 1.5MM Antiscratch

FLOW
Touch™
THINK IN COLOR

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)




FT - 689



FT - 633



FT - 688



FT - 673

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations.
Actual colours of the laminates sheet may vary from this brochure.





SOLID
Touch


6H GRADE | 1.5MM Antiscratch

FLOW*Touch*[™]
THINK IN COLOR

Feel the Space, Live the
Design



FT - 685



FT - 622

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)



There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations.
Actual colours of the laminates sheet may vary from this brochure.






SPARKLE
Touch

6H GRADE | 1.5MM Antiscratch

FLOW Touch™
THINK IN COLOR

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)



FT - 105



FT - 102



FT - 108



FT - 113



Spaces with a
Soul

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations.
Actual colours of the laminates sheet may vary from this brochure.



SPARKLE
Touch



Inspired Interior
Living

6H GRADE | 1.5MM Antiscratch

FLOW Touch™
THINK IN COLOR



FT - 104



FT - 109



FT - 112



FT - 106

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations.
Actual colours of the laminates sheet may vary from this brochure.

MARBLE
Touch

6H GRADE | 1.5MM Antiscratch



FT - 6301

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.




Design That
Speaks

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

MARBLE
Touch

6H GRADE | 1.5MM Antiscratch



FT - 6302

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.



Creating Your Perfect
Space

MARBLE
Touch

6H GRADE | 1.5MM Antiscratch



FT - 6306

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.



Thoughtfully Designed
Spaces

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

MARBLE
Touch

6H GRADE | 1.5MM Antiscratch



FT - 6310

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.



Simple. Smart
Stylish

MARBLE
Touch

6H GRADE | 1.5MM Antiscratch



FT - 6313

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.



Modern Design, Timeless
Feel

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

MARBLE
Touch

6H GRADE | 1.5MM Antiscratch



FT - 6305

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.



Quality in Every
Corner

WOODEN
Touch

6H GRADE | 1.5MM Antiscratch



FT - 6315

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.



WOODEN
Touch

6H GRADE | 1.5MM Antiscratch



FT - 6316

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.





MIRROR
Touch


6H GRADE | 1.5MM Antiscratch

FLOW
Touch
THINK IN COLOR

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)




FT - 117



FT - 120



FT - 123




FT - 118



Elevating Everyday
Spaces

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations.
Actual colours of the laminates sheet may vary from this brochure.



THERMO LAM+




Touch THERMOLAM+

6H GRADE | 1MM Antiscratch



GLOSSY LOOK



FTGL - 1101



FTGL - 1142



FTGL - 1143



FTGL - 1144

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations.
Actual colours of the laminates sheet may vary from this brochure.



THERMOLAM+
Touch

6H GRADE | 1MM Antiscratch

FLOW Touch
THINK IN COLOR

GLOSSY LOOK

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)



FTGL - 1145



FTGL - 1146



FTGL - 1147



FTGL - 1103

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations.
Actual colours of the laminates sheet may vary from this brochure.



Comfort You Can
Feel



THERMOLAM+
Touch


6H GRADE | 1MM Antiscratch




GLOSSY LOOK




Bringing Life To
Interiors




FTGL - 1148



FTGL - 1109



FTGL - 1150



FTGL - 1151

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations.
Actual colours of the laminates sheet may vary from this brochure.




THERMOLAM+
Touch

6H GRADE | 1MM Antiscratch


FLOW*Touch*TM
THINK IN COLOR

GLOSSY LOOK


Sheet Size : 1220mm x 2440mm (4ft x 8 ft)




FTGL - 1104



FTGL - 1105



FTGL - 1107



FTGL - 1108

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations.
Actual colours of the laminates sheet may vary from this brochure.



Designing Timeless
Interiors



THERMOLAM+
Touch

6H GRADE | 1MM Antiscratch



MATT LOOK



Interiors With A Creative
Sound



FTMT - 1112



FTMT - 114



FTMT - 117



FTMT - 118

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations.
Actual colours of the laminates sheet may vary from this brochure.

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)



THERMOLAM+
Touch

6H GRADE | 1MM Antiscratch

FLOW*Touch*
THINK IN COLOR

MATT LOOK

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)



FTMT - 119



FTMT - 1121



FTMT - 1123



FTMT - 1122

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations.
Actual colours of the laminates sheet may vary from this brochure.



*Design That
Speaks*



THERMOLAM+
Touch

6H GRADE | 1MM Antiscratch




MATT LOOK




Naturally Beautiful
Interiors




FTMT - 1124



FTMT - 1125



FTMT - 1126



FTMT - 1128

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations.
Actual colours of the laminates sheet may vary from this brochure.




THERMOLAM+ 6H GRADE | 1MM Antiscratch
Touch



MATT LOOK

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)




FTMT - 1129



FTMT- 1137



FTMT - 1138




FTMT - 1141

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations.
Actual colours of the laminates sheet may vary from this brochure.



Designed to
Breathe






THERMOLAM+
Touch


6H GRADE | 1MM Antiscratch




MATT LOOK



FTMT - 1140



FTMT - 1130



FTMT - 1134



FTMT - 1133



FTMT - 1135

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

REASONS FOR AIR BUBBLE FORMATIONS ON ACRYLIC SHEETS

To avoid delamination / air bubbles in between surface laminate and plywood (or any other suitable substrate) the below points need to take care of it.

AVAILABLE IN SIZE : 2440MM X 1220MM (8FT X 4FT) THICKNESS : 1.MM - 1.5MM SAME AS SAMPLE USE IN BROCHURE



ADVANCED FEATURES

ANTI SCRATCH

PURE ACRYLIC & THERMO

WATER RESISTANT

TERMITE FREE

EASY TO CLEAN

EASY INSTALLATION

Scratch Resistance

Laminates that exhibit extraordinary features, applying these sheets, be assured of scratch-free surfaces.

1.5mm Thickness

exhibiting great mechanical & thermal properties, installed over sturdy flooring, these laminate sheets get sturdy & long-lasting.


UV Protected

The UV films offer protection against moisture, handling and abrasion. The color clarity remains crisp & clear over time.

Termite & Borer Free

Our laminates are specially treated to ensure they remain termite and borer free for several years.

PANEL STRUCTURE



DISCLAIMER

Do not use plywood with high moisture content, Do not use ply with uneven surface, Avoid using inferior quality adhesive, Apply sufficient pressure We do not recommend pasting of sheets on the printed/branding area of the plywood



TECHNICAL SPECIFICATION

Acrylic & Thermo are bonded in extremely humid conditions

Use of water base synthetic resin adhesive any other the PEVA (Polyethylene Vinyl Acetate Co-polymer)

When substrate loses moisture after installation

Debonding in certain areas because of uneven substrate surface

Insufficient or lack of pressing during the bonding period of laminate

Use of extremely large acrylic Thermo PVC laminate sheets (more than 8 ft x 2 ft long)

PARAMETERS	FLOW TOUCH ACRYLIC / THERMO LAMINATE	HIGH GLOSS LAMINATE MICA	PU COATING / DUCO PAINT	BACK PAINTED GLASS
Gloss Level	>90	>70	>85	>85
Scratch Proof	6H Antisractch	No	No	No
Color Consistency	Excellent	Not Good	Not Good	Not Good
Orange Peel	No	Yes	Yes	Yes
UV Resistance	Excellent	Bad	Bad	Bad
Water Resistance	Excellent	Bad	Bad	Excellent
DRY Heat Resistance	Excellent	Good	Bad	Bad
Volatile Organic Compounds (VOCs)	No	Yes	Yes	Yes



DO'S & DON'T'S

1. Store the laminates below 30°C temperature. To avoid the inside cracks & stretch line, do not store acrylic & Thermo sheet in roll form.
2. Clean the surface of laminate with water and clean, non-abrasive cloth. We recommend cleaning with COLIN glass cleaner and soft Micro fibre cloth.
3. Glossy & Matt surfaces recommended to use in vertical applications.
4. Do not use alcohol based cleaners, solvent, petrol or oil as these may damage the surface of the laminate. Do not use cloth other than micro fibre.
5. Do not use thinner on the surface of FLOW TOUCH ACRYLIC & THERMO laminates.
6. Do not place hot cookware directly on the laminate as the exposure to temperatures above 30°C may cause damage to the laminate surface.
7. Outdoor application of the laminate with exposure to direct sunlight and weather conditions are strictly not recommended. UV rays may de-shape the laminate.

OM SALES
— CORPORATION —

SUPPLIED BY OM SALES CORPORATION

Wholesale interior surface materials · Hyderabad & Secunderabad

31-7, Lalamiya Basti, RTC Colony, Tirumalgiri, Secunderabad, Hyderabad, TS 500015

+91 98666 07766

WhatsApp · wa.me/919866607766

care.oscorp@gmail.com

omsalescorp.com

GSTIN 36AEHPG7476H1Z7

Wholesale supplier · Hyderabad & Secunderabad