OM SALES

CORPORATION

WHOLESALE INTERIOR SURFACE MATERIALS · HYDERABAD

ACRYLIC SOLID SURFACE

HERONITEZ ACRYLIC SOLID SURFACE

Supplied by Om Sales Corporation — wholesale supplier of Acrylic Solid Surface

Om Sales Corporation is a wholesale supplier of interior-design materials in Hyderabad, established in 2015. We supply interior designers, architects, contractors, modular manufacturers and homeowners across Hyderabad and Secunderabad with premium interior surfaces and panels at genuine trade rates. Our catalogue spans 30+ categories: Corian-type acrylic solid surfaces, translucent Alabaster, mosaic and cork tiles, charcoal and decorative panels, acrylic and PVC laminates, PVC and MDF boards, WPC/PVC doors, plywood, blockboard and veneers. Specialty lines like translucent Alabaster and fluted acrylic panels are rare to source locally. One trusted source for your entire material list. Samples on request. WhatsApp +91 98666 07766.

Om Sales Corporation

31-7, Lalamiya Basti, RTC Colony, Tirumalgiri, Secunderabad, Hyderabad, TS 500015
+91 98666 07766 · care.oscorp@gmail.com · omsalescorp.com
GSTIN 36AEHPG7476H1Z7

HERONITEZ™

LUXURY SOLID SURFACE

Naturalic COLLECTION

The Heronitez collectionis a tribute to the earth's natural artistry, capturingthe essence of nature's boundless splendor.

Each solid surface is a canvas where the touch of nature breathes life into your space, inviting the tranquility of the outdoors into your abode.

Manufactured with German Technology

OM SALES CORPORATION

Om Sales Corporation · +91 98666 07766 · omsalescorp.com

HERONITEZ™

LUXURY SOLID SURFACE

VENERO WHITE


VW - 933


HERONITEZ™
LUXURY SOLID SURFACE

VENERO WHITE

VW - 933

Thickness





760 mm (2.5 ft)



OM SALES
CORPORATION

Om Sales Corporation · +91 98666 07766 · omsalescorp.com

HERONITEZ™

— LUXURY SOLID SURFACE —

STATUARIO WHITE


SW - 931


HERONITEZ™
LUXURY SOLID SURFACE

STATUARIO WHITE

SW - 931

Thickness







HERONITEZ™

— LUXURY SOLID SURFACE —

ALASKA WHITE


AL - 925

HERONITEZ™
LUXURY SOLID SURFACE

ALASKA WHITE

AL - 925

Thickness





760 mm (2.5 ft)



OM SALES
CORPORATION

Om Sales Corporation · +91 98666 07766 · omsalescorp.com

HERONITEZ™

— LUXURY SOLID SURFACE —

ALASKA CREAM


AC - 926


HERONITEZ™
LUXURY SOLID SURFACE

ALASKA CREAM

AC - 926

Thickness





760 mm (2.5 ft)



OM SALES
CORPORATION

Om Sales Corporation · +91 98666 07766 · omsalescorp.com

HERONITEZ™

LUXURY SOLID SURFACE

TRAVERTINE BEIDGE


TB - 930


HERONITEZ™
LUXURY SOLID SURFACE

TRAVERTINE BEIDGE

TB - 930

Thickness







HERONITEZ™

LUXURY SOLID SURFACE



SIENA BROWN

SB - 928

HERONITEZ™
LUXURY SOLID SURFACE

SIENA BROWN

SB - 928

Thickness





HERONITEZ™

LUXURY SOLID SURFACE

ALASKA GREY


AG - 927

HERONITEZ™
LUXURY SOLID SURFACE

ALASKA GREY

AG - 927

Thickness



760 mm (2.5 ft)



HERONITEZ™

— LUXURY SOLID SURFACE —



COSMOS BLACK


CB - 932

HERONITEZ™
LUXURY SOLID SURFACE

COSMOS BLACK

CB - 932

Thickness



6 mm

12 mm

760 mm (2.5 ft)



2440 mm (8 ft)

1829 mm (6 ft)

HERONITEZ

LUXURY SLABS STARTS

TRAVERTINE GREY


TG - 929


HERONITEZ™
LUXURY SOLID SURFACE

TRAVERTINE GREY

TG - 929

Thickness





760 mm (2.5 ft)



2440 mm (8 ft)

OM SALES
CORPORATION

Om Sales Corporation · +91 98666 07766 · omsalescorp.com

HERONITEZ™

LUXURY SOLID SURFACE

Terrazzo

Our homage to the mid-century era mosaics.

Vivid nature identical top surface patterns that elevate any space.

OM SALES
CORPORATION

Om Sales Corporation · +91 98666 07766 · omsalescorp.com

HERONITEZ®

TERRAZZO BOLOGNA

TB - 951

HERONITEZ™
LUXURY SOLID SURFACE

TERRAZZO BOLOGNA

TB - 951

Thickness

12 mm
Only

760 mm (2.5 ft)



1829 mm (6 ft)

2440 mm (8 ft)

OM SALES
CORPORATION

Om Sales Corporation · +91 98666 07766 · omsalescorp.com

HERONITEZ

TERRAZZO BLANCO


TB - 954

HERONITEZ™
LUXURY SOLID SURFACE

TERRAZZO BLANCO

TB - 954

Thickness



760 mm (2.5 ft)



OM SALES
CORPORATION

Om Sales Corporation · +91 98666 07766 · omsalescorp.com

HERONITEZ™

LUXURY SOLID SURFACE



TERRAZZO DOMINO


TD - 953

HERONITEZ™
LUXURY SOLID SURFACE

TERRAZZO DOMINO

TD - 953

Thickness



760 mm (2.5 ft)



2440 mm (8 ft)

OM SALES
CORPORATION

Om Sales Corporation · +91 98666 07766 · omsalescorp.com

HERONITEZ®

— LUXURIOUS LIFE SURFACE —

TERRAZZO VENEZIA


TV - 955

HERONITEZ™
LUXURY SOLID SURFACE

TERRAZZO VENEZIA

TV - 955

Thickness



760 mm (2.5 ft)



HERONITEZ



TERRAZZO TORINA


TT - 956


HERONITEZ™
LUXURY SOLID SURFACE

TERRAZZO TORINA

TT - 956

Thickness





760 mm (2.5 ft)



2440 mm (8 ft)

HERONITEZ®

TERRAZZO RIVA

TV - 952

HERONITEZ™
LUXURY SOLID SURFACE

TERRAZZO RIVA

TV - 952


Thickness

12 mm
Only

760 mm (2.5 ft)



2440 mm (8 ft)



1829 mm (6 ft)

HERONITEZ™

LUXURY SOLID SURFACE



VENERO WHITE

VW - 933




STATUARIO WHITE

SW - 931




ALASKA WHITE

AL - 925



ALASKA CREAM

AC - 926



TRAVERTINE BEIDGE

TB - 930



SIENA BROWN

SB - 928



ALASKA GREY

AG - 927



COSMOS BLACK

CB - 932




TRAVERTINE GREY

TG - 929




TERRAZZO BOLOGNA

TB - 951




TERRAZZO DOMINO

TD - 953



TERRAZZO TORINA

TV - 955




TERRAZZO BLANCO

TB - 954



TERRAZZO VENEZIA

TV - 955



TERRAZZO RIVA

TV - 952

DURLAX®

TOP SURFACE LIMITED

OM SALES CORPORATION

Om Sales Corporation · +91 98666 07766 · omsalescorp.com

TECHNICAL SPECIFICATIONS

100% HERONITEZ LUXURY SOLID SURFACE			
PHYSICAL PROPERTIES			
PROPERTY	**TEST METHOD**	**UNIT**	**FUNCTION INDEX SIGN**
Density	ASTM D-792A	am/cm?	1.7
Flexural Strength	ASTM	PSI	72D-79000
Water Absorption	ASTM D-696	%	0.023
Hardness Barcol	ASTM D-2583		60
Heat Expansion	ASTM D-696	(1*10-5 in/in/OF)	2.1
Ignition Test	ASTM D-2863		38
Tensil Strength	ASTM D-638	PSI	6500
Elongation Atyield	ASTM D-638	%	0.2
Impact Resistance	ANSIZ124.6	8ft,0.5ib	
Wear Resistance	ASTM D-4060	g/1000cycl	0.05
Lustre Stable Resistance	NEMA LD3-3.3		Uninfluential
High Temp. Restance	NEMA LD3-3.6		Uninfluential
Boiling Water Resistance	NEMA LD3-3.5		Uninfluential
Stain Restance	ANSIZ124.6		Uninfluential
Chemical Resistance	ANSIZ124.6		Uninfluential
Fire Rating	DIN 4102-1	Class A1	

PRODUCT SPECIFICATIONS					
THICKNESS		**WIDTH**		**LENGTH**	
mm	in	mm	in	mm	in
6	1/4	760	30	2440	96
12	1/2	760	30	2440/3660	96/144

*Terazzo series, customization available on special request *Actual products color may vary from the sample in the kit

MAKE IN INDIA

CERTIFICATIONS

ACRYLIC UV SOLID SURFACE

TECHNICAL SPECIFICATIONS

LUXOR ACRYLIC UV SOLID SURFACE

PHYSICAL PROPERTIES			
PROPERTY	TEST PROCEDURE	UNIT	TYPICAL RESULT
Density	ASTM D-792A	g/cm³	1.70-1.75
Flexural Strength	ASTM D-790	Psi min	10000
Water Absorption	DIN EN 438 Part 12	%	≤0,1%
Hardness Barcol	ASTM D-2583		60-65 Barcol Impressor
Heat Expansion	ASTM D-696	$1*10^{-5}$in/in°F	2.1
Ignition Test	ASTM D-2863		38
Tensile Strength	ASTM D-638	PSI	6000-6500
Elongation	ASTM D-638	%	0.4
Ball Impact	NEMA LD	NO FRACTURE -0.5lb BALL: 6mm slab- 36" drop 12mm slab- 144" drop	UNBREAKABLE
Wear Resistance (Abrasion)	ASTM D-4060	g/1000cycl	0.05
Gloss (60 Gardner)	NEMA LD-3		Between 5-20
High Temperature Resistance	NEMA LD-3		NO EFFECT
Boiling Water Resistance	NEMA LD-3		NO EFFECT
Stain Resistance	ANSI Z 124		PASS Rating 41
Flame Retardant	DIN 4102-1		CLASS A1
Resistance to Cigarette Burns	DIN 68 861, Part 6, 11-82		6C
Fungi & Bacteria	ASTM G21 & G22		Does not support microbial growth

PRODUCT SPECIFICATIONS					
LUXOR® ACRYLIC UV SOLID SURFACE	THICKNESS		THICKNESS		THICKNESS	
	MM	IN	MM	IN	MM	IN
	6	1/4	760	30	2440	96
	12	1/2	760	30	2440/3660	96/144

Certiflcations

APPLIED FOR

MAKE IN INDIA


High Quality Made in India

DTSL

Durlax Top Surface Ltd.

Om Sales Corporation · +91 98666 07766 · omsalescorp.com

ACRYLIC UV SOLID SURFACE





LUXOR ACRYLIC UV SOLID SURFACE

LIVING WITH LUXOR®

Use and care guidelines

Cleaning kitchen countertops and other Luxor® surfaces. Luxor® is a durable and repairable product that will last for many years with simple care. Follow these instructions to preserve your Luxor® solid surface products.

Everyday Care : General cleaning of your Luxor® solid surfaces can be done by wiping the surface with a damp cloth or sponge, then dry with soft cloth or paper towels to prevent spotting; especially in areas with hard water.

Basic Stains : Clean with an ammonia-based product such as household glass cleaner or commercially available non-abrasive spray-on cleaners for solid surface products. Wipe dry with a soft cloth or paper towels to prevent spotting.

Stubborn Stain and Minor Scratches : There are over 60 colors available in Luxor® and each color can be supplied with a different type of nish by Luxor® certi ed fabricator installer. Dark colors in countertop surfaces and particularly dark colors that have been nished to a gloss, like anything else, will potentially show signs of use, such as scratches & soap residue, more readily than light colored solid surface materials. Therefore, gloss nish generally re uires additional maintenance and care to retain its original luster. Different cleaning techni ues are re uired to remove stubborn stains and minor scratches depending on the type of nish and color as detailed in the following instructions: (Note : please contact your fabricater installer if you are uncertain which type of nish is applied to your Luxor® solid surfaces . DO NOT attempt to repair deep scratches, chips or burns, contact a certi ed Luxor ® fabricator installer.

Matt Finish is the standard nish delivered by your certi ed fabricator installer. It is a low or no-sheen nish and is recommended high-use areas. Scrub in a small circular motion with a wet sponge & an abrasive cleanser such as Soft Scrub®. Darker colors tend to re uire more attention than lighter colors.

Satin Finish has a slightly higher sheen than matt & re uires more attention depending on fre uency of use & area of application. Lightly scrub surface in a small circular motion with a wet sponge and an abrasive cleanser such as Soft Scrub® over stain or scratch.

Darker Colors: Darker Colors tend to re uire more attention than lighter colors. Scrubbing too aggressively may actually reduce the gloss level.

Gloss Finish : as a higher & re ective sheen that re uires additional care and maintenance. Its is important to note that a gloss nish, especially on a dark color, will re uire more care than a Matt Satin nish. Therefore be, sure not to apply the same method or process recommended for a matt satin when caring for a gloss nish. Repeat the procedure shown below - If stain persists, contact your certi ed fabricator installer for assistance.

DO NOT USE ABRASIVE CLEANSERS AND PADS OF ANY TYPE ON A GLOSS FINISH: PLEASE CONTACT YOUR LU OR® RETAILER DEALER FOR MORE INFORMATION.

Spray a non-abrasive product such as Mr. Muscle over stain and wait for a couple of minutes. Then, scrub in a small circular motion circular motion with a wet sponge.

Darker Colors : Darker Colors tend to re uire more attention than lighter colors. Scrubbing too aggressively may actually reduce the gloss level.

Do not use abrasive cleansers, pads or steel wool. After completing the above procedure, rinse with clear water and wipe dry a soft cloth or paper towels to prevent spotting. To enhance the visual colour clarity & hide minor scuffs, apply Countertop Magic cleanser (available at any hardware store or supermarket & wipe away excess with a soft cloth.

Preventing Damage : Minor damage that may acciden-tally occur is most often repairable by a Luxor® certi ed fabricator installer or repair expert. However, be sure follow these guidelines to prevent damage to your Luxor® surface.

Heat : Luxor® solid surfaces have excellent heat resistant properties compared to other countertop materials. However, placing hot pans, as well as some heat-generating appliances such as electric grills or deep- fryers,can damage the surface. Always use a hot pad or a trivet with rubber feet to protect Luxor® Avoid subjecting Luxor® solid surfaces to extreme hot temperatures.

Chemical : Avoid exposing Luxor® solid surfaces such as paint removers, acetone, and oven cleaners. Surfaces to exposed to these strong chemicals should be promptly ushed with water water ; contact may cause spots that may re uire extensive repairs.
Remove nail polish with a non- acetone-based nail polish remover and ush with water.
Scratches : Never cut or chop directly on a Luxor® solid surfaces, always use a cutting chopping board.
Fractures : Avoid standing on counter tops or dropping heavy objects on the surface.
Note : Gloss reduction, scratching, and staining on solid surface incurred over time due to use is NOT a manufacturing defect but is considered normal wear and tear - The forgoing is NOT covered under the Luxor® Limited Warranty. However, the countertop can be re-sanded & re nished periodically if you so choose-you will be charged the standard hourly service rate. If your Luxor® product is accidentally nicked or deeply scratched, please contact your retailer dealer or Luxor® certi ed fabricator installer for advice about the most effective method of repair - most repairs are relatively uick and simple when performed by an experienced professional (service charge may apply .

For more detailed information, please contact your Luxor® dealer or visit us at www.durlax. com.

Use of certain names is intended only to show of a type off cleaning product. This does not constitute an endorsement or support for that product. Nor does the exclusion of any certain name product imply its insuf ciency.

WHITES

- Pure White PW 101
- White NW 118
- Absolute White AB 007

MEDI

- Medi Blue MB 130

FLUORON

- Fluoro Green FG 142
- Fluorange FO 143
- Crimson Red CR 144

NEONS

- MINT ICE MI 108
- SKY LITE SL 109
- RUBY RU 110
- LIME ICE LI 111
- GLACIER ICE GI 124

CRAYONS

- VANILLA VN 102
- SUNFLOWER SF 121
- RED HOT RH 103

CRAYONS

- Steel ST 104
- Claret CL 106
- Marine Blue MB 106
- Coffee Bean MB 107
- Black Bird BB 119
- Spring Green SG 120
- Khakhi KH 126
- Purple Heart KH 127
- Strawberry Wine SW 128
- Charcoal CH 12
- Concrete Grey CG 149
- Cafe Arista CA 150
- Misty Grey MG 151
- French Vanilla FV 152
- Torrente Cherry TC 162
- California Orange CO 153

ASPEON



Aspeon Cream
AC 015

Aspeon Grey
AG 016

Aspeon Dark
AB 017

Rice Paper
RP 122


Raf a
RF 132

Snow Flakes
SF 145

Aspeon Clay
AC 159

Linen
LN 160

ELION




Sagebrush
SB 138

Sonora
SR 139

Concrete
CT 140

PEARL



Amor
AR 131

Mother Of Pearl
MP 137


Venero White
VW 146

Glittering Black
GB 147

Glittering Grey
GB 148

Silverite
SV 161

PEBBLON



Pebblon White
PW 113

Pebblon Glod
PG 114

Pebblon Cocoa
PC 112

Pebblon Spinel
PS 123


Pebblon Birch
PB 125

Leche
LE 133

Tumbled Glass
TG 134

Gravel
GR 135

Sparrow Feather
SF 136



Abalone
AB 137

Fossil
FS 141

Red Wallnut
RW 154

Grey Wallnut
GW 155

Pebblon Lagoon
PL 156

Party
PP 157

Dove
DV 158

Whisper
WS 163


Snow City





ABOUT US

Luxor® solid surfaces for active homes. Lively, colourful and worry-free - Beauty that goes beyond mere looks and stands the test of time. Highly practical, impervious to stains and moisture, seamless and malleable, Luxor® solid surfaces are ideal for any room of the home. What's more the striking colours of Luxor® are sure to bring unprecedented elegance to your home.





www.durlax.com

Manufactured with German Technology

OM SALES

CORPORATION

SUPPLIED BY OM SALES CORPORATION

Wholesale interior surface materials · Hyderabad & Secunderabad

31-7, Lalamiya Basti, RTC Colony, Tirumalgiri, Secunderabad, Hyderabad, TS 500015

+91 98666 07766

WhatsApp · wa.me/919866607766

care.oscorp@gmail.com

omsalescorp.com

GSTIN 36AEHPG7476H1Z7

Wholesale supplier · Hyderabad & Secunderabad