OM SALES

CORPORATION

WHOLESALE INTERIOR SURFACE MATERIALS · HYDERABAD

ACRYLIC SOLID SURFACE

LUXOR ACRYLIC SOLID SURFACE

Supplied by Om Sales Corporation — wholesale supplier of Acrylic Solid Surface

Om Sales Corporation is a wholesale supplier of interior-design materials in Hyderabad, established in 2015. We supply interior designers, architects, contractors, modular manufacturers and homeowners across Hyderabad and Secunderabad with premium interior surfaces and panels at genuine trade rates. Our catalogue spans 30+ categories: Corian-type acrylic solid surfaces, translucent Alabaster, mosaic and cork tiles, charcoal and decorative panels, acrylic and PVC laminates, PVC and MDF boards, WPC/PVC doors, plywood, blockboard and veneers. Specialty lines like translucent Alabaster and fluted acrylic panels are rare to source locally. One trusted source for your entire material list. Samples on request. WhatsApp +91 98666 07766.

Om Sales Corporation

31-7, Lalamiya Basti, RTC Colony, Tirumalgiri, Secunderabad, Hyderabad, TS 500015

+91 98666 07766 · care.oscorp@gmail.com · omsalescorp.com

GSTIN 36AEHPG7476H1Z7

LUXOR®

ACRYLIC UV SOLID SURFACE

Durlax Top Surface Ltd.

(An ISO 9001 and ISO 14001 Certified Company)

DURLAX®
TOP SURFACE LTD.

LUXOR®

ACRYLIC UV SOLID SURFACE

MANUFACTURED WITH GERMAN TECHNOLOGY

OM SALES CORPORATION

Om Sales Corporation · +91 98666 07766 · omsalescorp.com



Mood. Welcome to LUXOR®.

Discover a world where colour, craftsmanship and creativity transform spaces. LUXOR® Acrylic UV Solid Surfaces bring richness, depth and personality to interiors - reflecting your taste, your style and your vision.

Explore our uni-colour palette and experience how premium surfaces can elevate your space with timeless elegance.

LUXOR®
ACRYLIC UV SOLID SURFACE

Design Your Dream

with our premium shades

Each LUXOR® shade is crafted to create refined, expressive and unforgettable interiors. From subtle undertones to bold statements, our curated palette brings sophistication and distinction to every project



LUXOR®

ACRYLIC UV SOLID SURFACE



At DURLAX®, innovation begins with imagination.

With a strong foundation of over 18 years of industry expertise, we have continuously advanced solid surface technology through research, design and manufacturing excellence.

Founded in 2010, DURLAX® introduced a patented production system for solid surface sheets setting new quality benchmarks. Today, we craft LUXOR® Acrylic Premium UV Solid Surfaces engineered for modern architecture and demanding applications.

Our state-of-the-art manufacturing facility ensures precision, consistency and a flawless finish bringing world-class surfaces to life.

LUXOR®

ACRYLIC UV SOLID SURFACE

LUXOR® have a well-built and spacious area for smooth production.





LUXOR®
ACRYLIC UV SOLID SURFACE

Shades of LUXOR®

Whites
Super White
SW-119

Whites
I-White
IW-118

Crayons
Coffee-Bean
CB-107

Crayons
Glacier Ice
GL-124

Crayons
Jaismine-Green

Crayons
Marine-Blue
MB-106

Crayons
Nougat-Cream
NG-201

Crayons
Pista Mint
PM-302

Crayons
Spring Green
SG-120

Crayons
Sunflower

Crayons
Toffee-Brown
TB-104

Crayons
Red Hot
RH-103

Crayons
Concrete Grey
CG-149

Crayons
Citrus Orange
CO-905

Crayons
California-Orange
CO-153

Crayons
Black Bird
BB-119

Crayons
Steel
ST-104

Crayons
Bone
PM-302

Medi Blue
Medi Blue
MB-130

Neons
Ruby

LUXOR®
ACRYLIC UV SOLID SURFACE

Shades of LUXOR®

Neons
Skylite
SL-109

Pebblon
Abalone
AB-137

Pebblon
Beige
PB-101

Pebblon
Clay
PE-305

Pebblon
Cocoa
PC-112

Pebblon
Cream
PM-307

Pebblon
Dove
DV-158

Pebblon
Earl Grey
EG-129

Pebblon
Golden
PG-114

Pebblon
Stone

Pebblon
Grey
PR-306

Pebblon
Ice
PI-001

Pebblon
Leche
LE-133

Pebblon
Macchito
G-111

Pebblon
Oat
PO-038

Pebblon
Galaxy
PG-161

Pebblon
Swan
PS-703


Pebblon
Savannah
PBS-319

Pebblon
Spinnel
PS-123


Pebblon
White

Shades of LUXOR®


Pearl
Amor
AR-131



Pearl
Glittering Black
GB-147



Pearl
Glittering Grey
GG-148




Aspeon
Aspeon-Dark



Aspeon
Aspeon-Vermillion
AV-430




Aspeon
Beach
AB-005




Aspeon
Clay
AC-159



Aspeon
Rice Paper
RP-122



Aspeon
Grey
AG-016



Aspeon
Cream
AC-015



Aspeon
Mosaic White
MW-906



Aspeon
Party
PP-157



Aspeon
Pepper
AP-157



Aspeon
Sand-Grey



LUXOR®
ACRYLIC UV SOLID SURFACE



LUXOR®
ACRYLIC UV SOLID SURFACE

Printed representation of colours may vary from actual samples :

Please view actual sample prior to selection.
Crayon and Neon series colors might show hairline seam.
Please check actual sample for selection.

WHITES

I-White IW-118



LUXOR®
ACRYLIC UV SOLID SURFACE

CRAYONS

Sunflower SF-121



Glacier Ice **GL-124**

Nougat Cream **NG-201**

Black Bird **BB-119**

Steel **ST-104**

Concrete Grey **CG-149**

Toffee Brown **TB-104**

Coffee Bean **CB-107**

Pista Mint **PM-302**

Citrus Orange **CO-905**

LUXOR®
ACRYLIC UV SOLID SURFACE




LUXOR®
ACRYLIC UV SOLID SURFACE

CRAYONS

Red Hot

RH-103






CRAYONS

Pista Mint

PM-302



LUXOR®
ACRYLIC UV SOLID SURFACE



LUXOR®
ACRYLIC UV SOLID SURFACE



NEONS

Ruby MI-108







Mint Ice	Glacier Ice	Neons-Skylite
MI-108	GL-124	SL-109

LUXOR®
ACRYLIC UV SOLID SURFACE



LUXOR®
ACRYLIC UV SOLID SURFACE


PEBBLON

Leche LE-133





Dove DV-158



Cream PM-307




White PW-113

Cocoa PC-112



Beige PB-101



Oat PO-038



Stone PB-304



Clay PE-305




Swan PA-703

Earl Grey EG-129



Ice PI-001



Elevate your space.
Strengthen your future.



PEARL

Amor AR-131

LUXOR®
ACRYLIC UV SOLID SURFACE

Futuristic Layers
Redefined




LUXOR®
ACRYLIC UV SOLID SURFACE

PEARL

Glittering Black GB-147





ASPEON

Party PP-157



LUXOR®
ACRYLIC UV SOLID SURFACE


Surfaces
Reimagined Beautifully



LUXOR®
ACRYLIC UV SOLID SURFACE

ASPEON

Cream AC-015





Snow Flakes **SF-145**

Grey **AG-016**



Party **PP-157**



Pepper **AP-004**



Mosaic White **MW-906**



Rice Paper **RP-122**

Aspeon Beach **AP-005**



Healthcare

- OT Wall Cladding
- OT Ceiling
- OT Door Jams
- Scrub Vanities
- Vanity Counters
- Baby Bath
- Nurses Counter
- Laboratory Tops
- Hygiene Surfaces
- Crash Guards
- Storage Racks







Why LUXOR® is Ideal for Healthcare Spaces?

Hygiene is paramount in medical environments, and LUXOR® surfaces deliver complete peace of mind. Being non-porous, seamless and germ-resistant, LUXOR® prevents bacteria from settling on walls, counters and ceilings. Its thermoformable nature allows smooth curves and uninterrupted surfaces ideal for OT cladding, scrub stations and clean rooms.

Impact-resistant, stain-proof and easy to maintain, LUXOR® remains pristine for years. Soft, calming colours like Mint Ice, Sky Blue and Vanilla also create a healing, welcoming atmosphere for patients.



LUXOR® MediScrub, Surgical Scrub Vanities.

Engineered for professional hygiene, MediScrub combines ergonomic form with seamless construction. A sloped base minimizes splashing, while the non-porous LUXOR® surface ensures quick cleaning and superior sanitation.

Available in wall-mounted and floor-mounted models, MediScrub supports complete customization of size, design and colour perfect for modern healthcare facilities.

LUXOR®
ACRYLIC UV SOLID SURFACE

District Hospital - Orissa



District Hospital - Orissa



LUXOR®
ACRYLIC UV SOLID SURFACE

District Hospital - Orissa

I-White
IW-118



LUXOR®
ACRYLIC UV SOLID SURFACE

Exterior Extravaganza

LUXOR® enhances exteriors with beauty and endurance. Seamless, thermoformable and weather-resistant, it adapts easily to facades, railings, furniture, signage and more. With UV-stable colours and long-lasting performance, LUXOR® lets your exteriors make a bold, architectural statement.

IT Park - Kerala



Facades

Showroom Fit-outs

Outdoor Furniture

Signages

Planters

Exterior Ceilings

Balcony & Staircase Railings

and many more

Exteriors

Tathasthu - Pune

I-White
IW-118



LUXOR®
ACRYLIC UV SOLID SURFACE

Nirlon, Goregaon - Mumbai

I-White
IW-118



Exterior that lasts

Designed to withstand sunlight, moisture and environmental conditions, LUXOR® retains its elegance and strength season after season.

Timeless

Outdoor Finish




LUXOR® is an evolution in surface engineering crafted layer by layer for durability, precision and refined visual appeal. It transforms ordinary walls into expressive design elements that elevate both interiors and exteriors.

LUXOR®
ACRYLIC UV SOLID SURFACE



Strength Meets Sophistication.

With advanced layering technology, LUXOR® creates impactful surfaces that unite performance with artistry perfect for premium residential and commercial spaces.



I-White
IW-118

LUXOR®
ACRYLIC UV SOLID SURFACE

Built for
Sophistication

I-White
IW-118




International Petrol Pump - Bahrain



LUXOR®
ACRYLIC UV SOLID SURFACE

International Petrol Pump - Bahrain

Glacier Ice
GL-124



Pure Design
Expression

Residential

Vanity

Vanity Counter

Wall Cladding

Shower Cubical

Bath Tub

Vanity Furniture

Door Jams & Window Sills


Mirror Frames

Washroom Partitions

LUXOR® brings practicality and beauty to everyday living.

Its seamless, non-porous surface resists stains, moisture and wear making it ideal for vanities, shower areas, wall cladding, window sills and cabinetry. Vibrant, consistent colours add refinement, while superior thermoformability supports smooth joints and custom shapes.

LUXOR®
ACRYLIC UV SOLID SURFACE



Sunflower
SF-121

Futureproof
Your Space



LUXOR®
ACRYLIC UV SOLID SURFACE

Residential Project - Pune



Kitchen Counter Top

Back Splash with Coving

Dado Wall

Sink Bowls

Kitchen Island Top

Serving Counter

Kitchen Shutters

Chopping Board





LUXOR®
ACRYLIC UV SOLID SURFACE

RESIDENTIAL

Smart Surface Living











LUXOR® enhances kitchens with hygienic, long-lasting elegance across countertops, backsplashes, coverings, island tops, shutters and more. Everyday living becomes effortless with a surface designed for performance and beauty.



LUXOR®
ACRYLIC UV SOLID SURFACE

Designed
to endure





LUXOR®
ACRYLIC UV SOLID SURFACE

Engineered
for tomorrow



Commercial

Lift Lobby Cladding

Luggage Racks

Food Court Areas

Planters

Urinal Partition

Conference Table

Signage

Handrail




Designed for High-Impact Spaces

LUXOR® transforms commercial environments with its lively colours, smooth finish and unmatched functionality. It can be routed, carved, thermoformed and back-lit enabling designers to create limitless concepts with ease.

Strong, durable and low-maintenance, LUXOR® suits counters, signage, partitions, cladding, seating, check-in desks, display units and more bringing creativity and professionalism together.

LUXOR®
ACRYLIC UV SOLID SURFACE

LUXOR®
ACRYLIC UV SOLID SURFACE



Reception Desk

Wall Partition

Featured/Designer Wall

Column Cladding

Airline Check in Counters


Display Boxes

Seating’s in the Lounge Area

Working Counters

Glacier Ice
GL-124

Mumbai Port



I-White
IW-118

Agartala Airport



Red Hot
RH-103

LUXOR®
ACRYLIC UV SOLID SURFACE

Mumbai Port



LUXOR®
ACRYLIC UV SOLID SURFACE

Goa Airport



LUXOR®
ACRYLIC UV SOLID SURFACE

Sikkim Muesem







Pebblon
Grey PR-306




Pebblon
White PW-113

Hospitality

Where First Impressions Matter

Hospitals, hotels, restaurants and lounges demand surfaces that balance aesthetics with longevity.

LUXOR® delivers both its warm colours, seamless finish and premium texture create inviting spaces, while its durability ensures easy maintenance and long-term appeal.





LUXOR®
ACRYLIC UV SOLID SURFACE



TECHNICAL SPECIFICATIONS

LUXOR® ACRYLIC UV SOLID SURFACE

PHYSICAL PROPERTIES			
PROPERTY	TEST PROCEDURE	UNIT	TYPICAL RESULT
Density	ASTM D-792A	g/cm	1.70-1.75
Flexural Strength	ASTM D-790	Psi min	10000
Water Absorption	DIN EN 438 PART 12	%	< 0.1%
Hardness Barcol	ASTM D-2583		60-65 Barcol Impressor
Heat Expansion	ASTM D-696	$1x10^{-5}$ in/in°F	2.1
Ignition Test	ASTM D-2863		38
Tensile Strength	ASTM D-638	PSI	6000-6500
Elongation	ASTM D-638	%	0.4
Ball Impact	NEMA LD	NO FRACTURE – 0.5 lb BALL 6mm slab – 36" drop 12mm slab – 144" drop	UNBREAKABLE
Wear Resistance (Abrasion)	ASTM D-4060	g/1000cycl	0.05
Gloss (60 Gardner)	NEMA LD-3		Between 5-20
High Temperature Resistance	NEMA LD-3		NO EFFECT
Boiling Water Resistance	NEMA LD-3		NO EFFECT
Stain Resistance	ANSI Z 124		PASS Rating 41
Flame Retardant	DIN 4102-1		CLASS A1
Resistance to Cigarette Burns	DIN 68861, Part 6, 11-'82		No Burning Or Visual Changes Shall observe
Fungi & Bacteria	ASTM G21 & G22		Does not support microbial growth

PRODUCT SPECIFICATIONS					
THICKNESS (MM)	**THICKNESS (IN)**	**WIDTH (MM)**	**WIDTH (IN)**	**LENGTH (MM)**	**LENGTH (IN)**
6	1/4 In	760	30	2440	96
12	1/2 In	760	30	2440/3660	96/144

Engineered for Performance

LUXOR® Acrylic UV Solid Surfaces are tested to global standards (ASTM, NEMA, DIN) to ensure long-lasting reliability.
With high flexural strength, superior hardness, low water absorption, excellent heat resistance, and outstanding dimensional stability, LUXOR® consistently outperforms conventional materials making it a trusted choice for architects and designers.

Standard thickness options across all colours are 6 mm and 12 mm. For special requirements, selected colours can be made available in thicknesses ranging from 4 mm to 20 mm, subject to MOQ.

LUXOR®
ACRYLIC UV SOLID SURFACE



USE AND CARE GUIDELINES

LUXOR®
ACRYLIC UV SOLID SURFACE

LIVING WITH LUXOR®

Use and care guidelines

LUXOR® solid surfaces are crafted to deliver long-lasting beauty with remarkably simple care. Their non-porous, seamless construction ensures easy cleaning and exceptional durability, making them ideal for homes, hospitality environments, healthcare facilities and high-traffic commercial spaces. With just a little everyday maintenance, your LUXOR® surface will retain its clarity, elegance and smooth finish for years.

For daily upkeep, a soft damp cloth or sponge is all you need. Wiping the surface clean and drying it afterward prevents water spots, especially in regions with hard water. Most routine marks and kitchen stains can be removed effortlessly using an ammonia-based cleaner such as standard glass cleaning solutions or any non-abrasive spray designed for solid surfaces. Once cleaned, a gentle wipe with a soft cloth helps maintain the surface's natural sheen.

LUXOR® offers a wide selection of colours and finish options, each crafted to enhance different styles of interiors. These finishes may require slightly different care. Matt finishes, with their low-sheen appearance, are designed for active spaces and respond well to gentle circular cleaning using a mild abrasive cream and a soft sponge. Satin finishes, which offer a subtle, refined sheen, require a lighter touch to maintain their visual smoothness. Darker colours in both finishes tend to show signs of everyday use more readily than lighter shades and may occasionally require additional attention to restore uniformity.

Gloss finishes, with their reflective elegance, require special care to preserve their clarity. They should be cleaned only with non-abrasive products and soft sponges to prevent dulling or micro-scratches. If a stain persists, applying a gentle non-abrasive cleaner and allowing it to rest for a short time before wiping ensures effective cleaning without damaging the finish. For enhanced shine, a surface conditioner such as Countertop Magic may be used sparingly to revive colour depth and conceal minor scuffs.

To protect your LUXOR® surface from unnecessary wear, a few simple habits go a long way. Although LUXOR® provides excellent heat resistance compared to many conventional materials, placing extremely hot utensils directly on the surface may cause damage. Always use trivets or pads beneath hot cookware and heat-generating appliances. Similarly, strong chemicals such as oven cleaners, acetone, and paint removers should be kept away from the surface. If accidental contact occurs, rinse the area immediately with plenty of water to prevent discoloration or surface damage. For nail polish marks, only non-acetone removers should be used.

LUXOR® surfaces are engineered for long-term durability, but like any premium material, they should not be used as cutting surfaces. Knives may leave scratches, and heavy impact can cause chips or fractures, so cutting boards and careful handling are recommended. Normal signs of use such as minor abrasions or a softening of gloss on high-use areas are natural over time and are not considered manufacturing defects. The benefit of LUXOR® is that the surface can be professionally refinished, restored or repaired by a certified fabricator whenever needed, bringing it back to its original appearance.

For deeper scratches, chips or accidental damage, a LUXOR® certified fabricator or installer can perform repairs using the correct restoration techniques. Most repairs are straightforward, fast and cost-effective when handled by trained professionals.

Your LUXOR® surface is built to be lived with beautiful, functional and enduring. With thoughtful everyday

DURLAX®
TOP SURFACE LTD.

LUXOR®

ACRYLIC UV SOLID SURFACE

CERTIFICATIONS





Disclaimer : The information contained herein is provided by DURLAX® Top Surface Ltd. and its subsidiaries and affiliates (collectively referred to as "DURLAX®") for information purpose only and should be used by individuals with technical experience and knowledge in the area. DURLAX® does not make any representation or warranties of the usefulness or expected result of the information, and does not assume any responsibility whatsoever related to use of the information. Exclusion of the implied warranties may not apply in certain jurisdictions.

Colors shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect an actual sample before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to change the specifications without prior notice.

Actual products colour may vary from the images in the document.

Although every effort is made to ascertain that all the information provided in this catalogue is accurate before printing, errors may still happen. Please contact the local branch office/channel partner for updated information before placing orders. The Information contained in this catalogue is given in good faith. The Company takes no liability on account of any loss or damage either consequential or otherwise as a result of the information provided therein.

OM SALES

CORPORATION

SUPPLIED BY OM SALES CORPORATION

Wholesale interior surface materials · Hyderabad & Secunderabad

31-7, Lalamiya Basti, RTC Colony, Tirumalgiri, Secunderabad, Hyderabad, TS 500015

+91 98666 07766

WhatsApp · wa.me/919866607766

care.oscorp@gmail.com

omsalescorp.com

GSTIN 36AEHPG7476H1Z7

Wholesale supplier · Hyderabad & Secunderabad