OM SALES

CORPORATION

WHOLESALE INTERIOR SURFACE MATERIALS · HYDERABAD

SPC FLOORING

PLANKO SPC FLOORING

Supplied by Om Sales Corporation — wholesale supplier of SPC Flooring

Om Sales Corporation is a wholesale supplier of interior-design materials in Hyderabad, established in 2015. We supply interior designers, architects, contractors, modular manufacturers and homeowners across Hyderabad and Secunderabad with premium interior surfaces and panels at genuine trade rates. Our catalogue spans 30+ categories: Corian-type acrylic solid surfaces, translucent Alabaster, mosaic and cork tiles, charcoal and decorative panels, acrylic and PVC laminates, PVC and MDF boards, WPC/PVC doors, plywood, blockboard and veneers. Specialty lines like translucent Alabaster and fluted acrylic panels are rare to source locally. One trusted source for your entire material list. Samples on request. WhatsApp +91 98666 07766.

Om Sales Corporation

31-7, Lalamiya Basti, RTC Colony, Tirumalgiri, Secunderabad, Hyderabad, TS 500015
+91 98666 07766 · care.oscorp@gmail.com · omsalescorp.com
GSTIN 36AEHPG7476H1Z7

Cosmic Decor®

Redefining Your Space



NATURAL ART

Waterproof Rigid Core Flooring

SPC FLOORING TILES

OM SALES CORPORATION

Om Sales Corporation · +91 98666 07766 · omsalescorp.com

Cosmic Decor®

Redefining Your Space

Structure



UV Coating
Reduce fading to sun light near window or any other indoor environment

Wear Layer
Strong wear-resistance for foot trac and make the surface scratch resistance.

Decor Film
A design layer of high-resolution photo of real wood that is reproduced with sophisticated printing techniques.

SPC Core Sheet
primary layer of the SPC structure


Underlayment
Effective sound reduction and cushioning incorporates a moisture barrier and mold repellent

CERTIFIED ISO 9001:2015 COMPANY

CE

Why SPC Flooring?

- Lower Thickness & Weight
- Impact Resistances
- Easy to Clean Floor
- Stain Free
- Easy to Carry
- Modular
- Glue Free
- Green Product
- Dust free Installaion
- Flame Resistant
- Scratch Resistant
- Less Dead Weight
- Termite Resistant
- Water Proof
- Quick Installaion
- Recyclable
- Weather Proof



CLICK TILE

Easy & Hassle Free Installation






Cosmic Decor®
Redefining Your Space

EXPRESSO (K1251L-1)





EXPRESSO (K1251L-1)




Cosmic Decor®
Redefining Your Space

OPAL (K1255-1)





OPAL (K1255-1)




Cosmic Decor®
Redefining Your Space

LUNA (K10381-15)





LUNA (K10381-15)




Cosmic Decor®
Redefining Your Space

ZION (K1223-12)





ZION (K1223-12)



Cosmic Decor®
Redefining Your Space

ORIAN (K1092L-5)





ORIAN (K1092L-5)



Cosmic Decor®
Redefining Your Space

ALAMO (K1082L-24)





ALAMO (K1082L-24)



Cosmic Decor®
Redefining Your Space

FLUID (K1047-10)





FLUID (K1047-10)



Cosmic Decor®
Redefining Your Space

VERONA (K1271L-2)





VERONA (K1271L-2)




Cosmic Decor®
Redefining Your Space

SEDONA (K1273-3)





SEDONA (K1273-3)




Cosmic Decor®
Redefining Your Space

BARI (1021-7)





BARI (1021-7)




Cosmic Decor®
Redefining Your Space

BITOLA (1093-5)





BITOLA (1093-5)



Cosmic Decor®
Redefining Your Space

MILANO (6152-1)





MILANO (6152-1)




Cosmic Decor®
Redefining Your Space

SOFIA (BD82151-10)





SOFIA (BD82151-10)



Cosmic Decor®
Redefining Your Space

KODIAK (60024-8)





KODIAK (60024-8)




Cosmic Decor®
Redefining Your Space

TWILIGHT (BD82178-1)





TWILIGHT (BD82178-1)



SPC Flooring Technical Data

CHARACTERISTICS	STANDARDS			
	EN	Result	ASTM	Result
Size	EN 427	Pass	ASTM F536	Pass
Overall Thickness	EN 428	Pass	ASTM F36	Pass
Wear Layer Thickness	EN 429	Pass	ASTM F410	Pass
Dimension Squareness and Straightness	EN 427	Pass Squareness:0.18mm Straightness:0.07mm		
Chemical Resistance	EN 423	Pass	ASTM F925, ASTM F1344	Pass
Colour Fastness to Artificial Light	EN20105:B02 Method A	Pass,≥Grade 6	ASTM F1515	Pass
Heat Stability by Color Change			ASTM F1514	Pass
Castor Chair Suitabiliy	EN 425	Pass		
Residual Indentation	EN 433	Pass,0.06mm	ASTM F1914, ASTM F970	Pass
Abrasion Group	EN 660-1/2	Group T	ASTM F510, ASTM D3384	Pass
Impact Resistance			ASTM F1265, ASTM D2632	Pass
Dimensional Stability	EN 434	Pass	ASTM F2199	Pass, 0.1%
Sound Reduction	ENIS0717-2(△Lw)	2 dB		
Flexibility	EN 435 Method A	Pass	ASTM F137	Pass
Slip Resistance	EN 13893	Class DS	ASTMD2047-93	Pass
Electrical Resistance	EN 1081 Method C	Pass	ASTM F150-06	Pass
Thermal Resistance	EN 12664	Pass		
Toxic Element Test	EN 71-3	Pass. Not toxic. Does not contain heavy metal and formaldehyde		
Behaviour to Fire	ENIS011925-2 EN13501-1 EN ISO 9239-1	Bf1-S1	ASTM E648-06	Pass/Class1
Smoke Density			ASTM E662	Pass,<450

Product Size & Packing Details

Size	**1220 x 181 mm**
Thickness	**4.00 mm + 1.00 mm IXPE underlayment**
Wearlayer	**0.30 mm**
Packing Details	**10 Planks/Box, 2.21 SQM/Box, 55 Box/Pallet**

OM SALES

CORPORATION

SUPPLIED BY OM SALES CORPORATION

Wholesale interior surface materials · Hyderabad & Secunderabad

31-7, Lalamiya Basti, RTC Colony, Tirumalgiri, Secunderabad, Hyderabad, TS 500015

+91 98666 07766

WhatsApp · wa.me/919866607766

care.oscorp@gmail.com

omsalescorp.com

GSTIN 36AEHPG7476H1Z7

Wholesale supplier · Hyderabad & Secunderabad